

Sheet:

Cod.9650

## ***PAVIFER-540***

Coloured quartz aggregate for rough finishes in Multi-layer systems for non-slip finishes.

- For coloured non-slip finishes.



## Sheet

### PAVIFER-540

Edition: January 2022

Page 2 of 3

## PRODUCT DESCRIPTION

**PAVIFER-540** is a material specially designed for use in multi-layer systems to achieve non-slip and coloured finishes.

## RECOMMENDED USES

**PAVIFER-540** can be used in solvent-based or water-based coatings. The areas of application can be both decorative and on non-slip surfaces.

## PRODUCT DATA

Density:	265 gr/cm <sup>3</sup>
SiO <sub>2</sub> %:	Approx 99%
Grain Shape:	Sub-Angle
Solubility in water:	Despicable
Acid Solubility:	Yes
Hydrofluorhíc:	60.1

## PRESENTATION

Presentation: 25 Kg paper sacks.

## STORAGE

The storage temperature of the **PAVIFER-540** should be between 10 and 25 °C. Containers (full or empty) should not be exposed to the direct action of the sun's rays or heat sources such as stoves, convectors, etc., as overpressures can occur inside them, causing the packaging to swell with the consequent danger during handling. The components are sensitive to moisture, therefore, they must always be stored in hermetically sealed containers and must be protected against the entry of moisture at all times, to avoid alterations in the final product or unusability for processing.

## COLORS

Ver carta colores **PAVIFER-540**: <https://www.poliureasistemas.com/download-area/carta-colores/>

## LEGAL NOTICES

This information and, in particular, the recommendations regarding the application and end use of the product are given in good faith, based on the current knowledge and experience of POLIUREA SYSTEMS of the products when they are properly stored, handled and applied, in normal situations, within their useful life, in accordance with the recommendations of POLIUREA SYSTEMS.

In practice, the possible differences in materials, substrates and actual conditions at the place of application are such that no warranty in terms of merchantability or fitness for particular purposes, nor any obligation whatsoever outside of any legal relationship that may exist, can be inferred from the information herein, nor from any other written advice or advice offered.

The user of the products must carry out the tests to check their suitability according to the intended use. POLIUREA SYSTEMS reserves the right to change the properties of its products. The property rights of third parties must be respected. All orders are accepted in accordance with the terms of our current General Terms and Conditions of Sale and Supply. Users should be familiar with and use the latest and most up-to-date version of the Data Sheets. A copy of which will be sent to anyone who requests them, or can also be obtained at la página [www.poliureasistemas.com](http://www.poliureasistemas.com)